Alabama Department of Public Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	P5928	A. BUILDING: _____ B. WING _____	04/06/2022

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CROSSINGS AT RIVERCHASE MEMORY CARE, THE	2171 PARKWAY LAKE DRIVE HOOVER, AL 35244

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments This is a 38-bed Specialty Care Assisted Living Facility (SCALF) with no residents currently residing in the facility. A pre-licensure visit was made to the facility on April 6, 2022. No deficiencies were found. CONNIE CHERRY, REGISTERED NURSE	A 000		

Health Care Facilities

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE